| Type Hits | Search Text | DBs | -71 |
|------------------------|---|-------|------|
| 165 BRS 2 | *6016308* | USPAT | 20 |
| 166 BRS 1 | "6106308" | USPAT | 20 |
| 167 BRS 1 | **6221750** | USPAT | 200 |
| 168 BRS 1 | *5590460*.PN. | USPAT | 200 |
| 168 BRS 1 | *5597470*.PN. | USPAT | 200 |
| 170 BRS 1 | *6629239* PN. | USPAT | 200 |
| 171 BRS 1 | *5679194*.PN. | USPAT | 20 |
| 172 BRS 1 | *\$956605* PN. | USPAT | 200 |
| 173 BRS 1 | *6011300*.PN. | USPAT | 20 |
| 174 BRS 1 | *6023028* PN. | USPAT | 200 |
| 175 BRS 1 | "6046507" PN. | USPAT | 200 |
| 176 BRS 1 | "6093971" PN | USPAT | 200 |
| 177 BRS 1 | *5763941* PN. | USPAT | 200 |
| 178 BRS 1 | 5518964.pn. | USPAT | 200 |
| 179 BRS 8 | "3747202" | USPAT | 200 |
| 180 BRS 3 | semiconductor and (lead with flexible) and (lead with (curve or curved)) and (wafer with probe) | USPAT | 200 |
| 181 BRS 3 | semiconductor and (lead with flexible) and (lead with (curve or curved)) and (wafer with probe) | USPAT | 200 |
| 182 BRS 0 | (5763941.pn.) and pad | USPAT | 200 |
| 183 BRS 1 | *5120678* PN. | USPAT | 20 |
| 184 BRS 1 | "5148265".PN. | USPAT | 200 |
| 185 BRS 1 | "5148266".PN. | USPAT | 200 |
| 186 BRS 1 | "5194930" PN. | USPAT | 20 |
| 187 BRS :1 | *5203076*.PN. | USPAT | 20 |
| 188 BRS 1 | "5249101".PN. | USPAT | 200 |
| 189 BRS 1 | "5249101".PN. | USPAT | 20 |
| 190 BRS 1 | "5288944".PN. | USPAT | 200 |
| 191 BRS 1 | "5289346".PN. | USPAT | . 20 |
| 192 BRS 1 | "5385869".PN. | USPAT | 200 |
| 193 BRS 1 | 6106308.pn. | USPAT | 200 |
| 194 BRS 10 | ("3825353" or "3952404" or "5148265" or "5148266" or "5518964" or "4700473" or "5053922" or "392588 | USPAT | 20 |
| 195 BRS 1 | (5834339.pn.) and flexible | USPAT | 20 |
| 196 BRS 1 | *4893172*.PN. | USPAT | 200 |
| 197 BRS 1 | "5610436".PN. | USPAT | ' 20 |
| 198 BRS 1 | "3628105",PN | USPAT | . 20 |
| 199 BRS 1 | *4912547*.PN. | USPAT | 20 |
| 200 BRS 1 | *5390844*.PN. | USPAT | 20 |
| 201 BRS 1 | *5394009*.PN. | USPAT | • 20 |
| 202 BRS 1 | *5398863*.PN. | USPAT | 20 |
| 203 BRS 1 | "5489749".PN. | USPAT | 20 |
| 204 BRS 1 | *5491302*.PN. | USPAT | 20 |
| 205 BRS 1 | *5518964*.PN. | USPAT | 20 |
| 206 BRS 1 | "5536909".PN. | USPAT | 200 |
| 207 BRS 1 | "5798751".PN. | USPAT | 200 |
| aralana : | | | |
| #Albuctured form A Cus | porton: ASS por ASS ever ジ油 Obetan (Erroy 製Text Errox) | | |
| | | | |
| Operate Militar | | | |

| Type Hits | Search Text | DBs | II. |
|-----------------------------|--|-------------------|---|
| 188 BRS 1 | :"5249101".PN. | USPAT | 20 |
| 189 BRS 1 | *5249101* PN. | USPAT | 20 |
| 190 BRS 1 | *5288944* PN. | USPAT | 20 |
| 191 BRS 1 | "5289346".PN. | USPAT | 200 |
| 192 BRS 1 | "5385869".PN. | USPAT | 200 |
| 193 BRS 1 | | USPAT | 200 |
| 194 BRS 10 | ("3825353" or "3952404" or "5148265" or "5148266" or "5518964" or "4700473" or "5053922" or "392588 | | 200 |
| 195 BRS 1 | (5834339.pn.) and flexible | USPAT | 20 |
| 196 BRS 1 | | USPAT | 200 |
| 197 BRS 1 | "5610436".PN. | USPAT | 200 |
| 198 BRS 1 | "3628105",PN. | USPAT | 200 |
| 199 BRS 1 | "4912547".PN. | USPAT | 200 |
| 200 BRS 1 | | USPAT | 200 |
| 201 BRS 1 | "5394009".PN. | USPAT | 200 |
| 202 BRS 1 | "5398863".PN | USPAT | 200 |
| 203 BRS 1 | "5489749".PN | USPAT | 200 |
| 204 BRS 1 | "5491302".PN | USPAT | 200 |
| 205 BRS 1 | "5518964".PN | USPAT | 200 |
| 206 BRS 1 | | USPAT | 200 |
| 207 BRS 1 | | USPAT | 200 |
| 208 BRS 1 | | USPAT | 20 |
| 209 BRS 3 | | USPAT | 200 200 |
| 210 BRS 0 | (semiconductor) and ((plane with (curved or bent) with (surface or face) with parallel with lead) with (flexible or | USPAT | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |
| 211 BRS 10 | (semiconductor) and ((plane with (curved or bent) with (surface or face) with parallel with lead) same (flexible | | 200 200 |
| 212 BRS 0 | | USPAT USPAT | 200 |
| 213 BRS 1 | (dozier.in.) and (lead with strip) | USPAT | 200 |
| 214 BRS 1 | ((formfactor.as.) or ((form adj factor).as.)) and (lead with strip) | USPAT | 20 |
| 215 BRS 0 | ((formfactor.as.) or ((form adj factor).as.)) and (lead with beam) | USPAT | 200 |
| 216 BRS 1 217 BRS 1 | ((formfactor.as.) or ((form adj factor).as.)) and (lead with cantilever) | USPAT | 20 |
| | ((formfactor.as.) or ((form adj factor).as.)) and (lead with flat) | USPAT | 200 |
| 218 BRS 0 219 BRS 0 | lead with flat with provide | USPAT | 20 |
| 220 BRS 0 | (lead with flat with reduce) and (wafer with probe) | USPAT | 20 |
| 221 BRS 0 | flead with flat with reduce) and (tessera.as.) | USPAT | 20 |
| 222 BRS 8 | ((honda and minoru).in.) and (hitachi.as.) | USPAT | 20 |
| 223 BRS 0 | ((honda and minoru).in.) and (hitachi.as.) and (mount or mounting or mounted) | EPO | 20 |
| 224 BRS 2 | ((honda and minoru).in.) and (hitachi.as.) and (mount or mounting or mounted) | JPO: DERWENT | • 20 |
| 225 BRS 0 | : "57121255" | USPAT | 20 |
| 226 BRS 0 | : "ip57121255" | USPAT | 20 |
| 227 BRS 2 | "57/12/555" | EPO; JPO; DERWENT | 20 |
| 228 BRS 1 | 5772451.pn. and flat | USPAT | 20 |
| 229 BRS 1 | 5772451.pn. and probe | USPAT | 20 |
| 230 BRS 1 | 5772451.pn. and wafer | USPAT | 20 |
| 41 | | | |
| ga Structured form 1874 Con | portum ASPS forz ASARtum / HBx Obetails (Elinage W. Text Miffel | | |
| Bernetten metr. See Co. | | | |
| Operation Silmus | I and the second | | |

| Type Hi | Bearth East | |
|-------------------|---|--|
| 1 BRS O | :-09785104- | USPAT |
| 2 DRS 1 | 6221750. pn. | USPAT |
| 3 DRS 48 | (fjelstad and joseph).in. | USPAT |
| 4 BRB 45 | (fjelstad and joseph).in. and (tessera.as.) | USPAT |
| 500 BRS 1 | :3952404. pn. | USPAT |
| 6 BRS 179 | leed with secrificial | USPAT |
| FRS 1 | re35119.pn. | USPAT |
| Ø BRS 1 | 3825353.pn. | UEPAT |
| 9 BRS 1 | 3952104. pn. | USPAT |
| 10 BRS 1 | \$148265.pa. | US PAT |
| 11 9R8 1 | 5148266.pn. | USPAT |
| 12 BRS 1 | j5518966.pn. | UEPAT |
| 13 BR5 1 | 4700473.pn. | USPAT |
| 14 0R8 1 | 5053922. pn. | USPAT |
| ****** | [3925880. pn. 3230847. pn. | |
| 16 BRS 1 | | USPAT |
| 10 988 103 | 3262000 pn | |
| 19 BRB O | 99/40761 | EPO: DERWENT |
| 20 888 17 | (beam adj lead) and sacrificial | USPAT |
| 21 BR5 9 | **S250647* | UBPAT |
| 22 BAS 1 | 4994895, pn. | USPAT |
| 23 BRS 1 | (4900991. pn. | USPAT |
| 24 BRS 1 | 4980753. pn. | USPAT |
| 25 BRS 472 | 257/784.ccls. | USPAT |
| 24 BAS 5 | 257/784.ccls. and (beam adj lead) | USPAT |
| 27 000 1401 | | US PAT |
| 28 BRS 68 | (beam sd) lead) and (beam ad) lead).ti. | USPAY |
| 29 BR8 211 | (beam adj lead) and (apparatus).ti. | USPAT |
| 30 BRB 235 | (beam adj lead) and ((beam ad) lead).ab.) | USPAT |
| 31 BRS 198 | ((beam ad) lead) and ((beam adj lead).ab.)) not ((beam adj lead) and (apparatus).ti.) | UBPAT |
| 32 BRS 37 | (((beam adj lead) and ((beam adj lead).ab.)) not ((beam adj lead) and (apparatus).ti.)) and perpendicular | USPAT |
| 33 BR6 21 | *3952404* | UBPAT |
| 34 BRS 1 | 5057460. pn. | USPAT |
| 36 BRS 1 | 5055907.pn. | USPAT |
| 36 BRS 1 | 5049085.pn. | USPAT |
| 37 BR8 1 | 5947830.pn. | US PAT |
| 38% BRS 1 | 4995523.pn. | TAREU |
| 39 BRS 1 | :4955523. pn. | USPAT |
| 46 BRS 1 | 4954877.pn. | USPAT |
| 11 BRS 1 | :4949138.pn | USPAT |
| 42 BRS 1 | (1926241.pn. | USPAT |
| 7 dr. 2 dr. 2 | 1007177.40 | /************************************* |
| gameter 9 | France Street States Jan Count (Boy Mine) | |
| en de suite de la | Nearth Text DDs Time Stamp Comments Street Defini Street | |
| | FORTISE 124.7 | <i>d</i> |

.

...

| 13 BRS 1 4893172.pn. USFAT | Type | Bits Gearch Text | 1 |
|--|------------|---|-------------------------|
| | 13 BRS 1 | | USPAT |
| 15 | | 4812191. pa. | USPAT |
| 17 18 0 | | (bean adj lead) and actuator | (EPO) JPO) DERWENT) IBM |
| | | | |
| 18 | | | |
| 18 | | | EPO |
| 13 | | iap0352020 | BPO . |
| 125 15 | | | EPO |
| Section 1.00 1.0751- | | | |
| No. 1 | | :'40761' and ('08" with "12" with "1999") | |
| Section Sect | | 03 '40761' | |
| Second Column Second Colum | 34 BR8 2 | | |
| | | | |
| | | | USPAT |
| 15 | | | |
| See 1 | | | |
| 188 1 3373681 ps. | | | |
| 1 | | | |
| 1 | 7/7// | | |
| 1 | | | |
| 1 | | | |
| 1 | | | |
| 1 | | | |
| 66 R88 1 1226653.ps. USPAT 77 R88 1 1622557.ps. USPAT 78 R88 1 1622557.ps. USPAT 78 R88 1 1622557.ps. USPAT 78 R88 1 1665129.ps. USPAT 78 R88 1 1721975.ps. USPAT 78 R88 1 1721975.ps. USPAT 79 R88 2 1 1721975.ps. USPAT 70 R88 2 1 1 1721971.ps. USPAT 70 R88 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | USPAT |
| State | | | USPAT |
| 17 | | | |
| 13 13 13 14 14 14 14 14 | | | USPAT |
| 17 | | | USPAT |
| | | (661192.pn. | USPAT |
| | BRO 1 | (4667219. pn. | |
| | BRS 1 | 4721995.pn. | USPAT |
| | 75 BR8 1 | (1751199.pn. | |
| | 76 BRS 1 | | |
| 177 RR 218 ((beam ad) lead) and ((beam ad) lead).clm.)) not ((apparatus).ti. or (apparatus).ab.) USPAT | | | |
| | | | |
| | | | |
| | | | |
| 3 888 22 tessera.as. and (beam ad) lead) | | | |
| N DAN 405 257/700.ccle USAN (Section 1) DAN (S | | D :tessera.as. and (lead.ti.) | |
| American Poster (Assert Am Order Brey (Aug) | | | |
| gamen Rome standstands (See Dec Pin) | 84 BRS 4 | 05 | ius pat |
| | • | | 77 |
| ne Elis Barch Text DDs Time Stamp Communis Error Defini Errors | A SMITH BY | Marine Allen Auto Ja Ossa [See [See]No. | |
| | pe zits | | |

.

2

_

| Type Bite | Boarch Text | COR |
|------------------------|--|-----------------------------------|
| 85 BR6 17 | sacrificial and (beam adj lead) | USPAT |
| 86: BRS :31 | lead with perallel with cantilever | USPAT |
| e7 BRS C | (semiconductor adj device) and (lead with parallel with cantilever) | USPAT |
| 38 BRS 19 | | USPAT |
| 89 BR5 41 | (wafer ad) probe).ti. | USPAT |
| 90% BRS 123 | (seniconductor and actuator).ab. | USPAT |
| 930 BRS 473 | | USPAT |
| 92 BRS 250 | , , , , , , , , , , , , , , , , , , , | US PAT |
| 93 BRS 1 | | |
| 94 9AS 33 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | USPAT |
| 96 BRS 23 | bassous and (lead with (fabrication or make or making or produce or producing or create)) | :US PAT |
| 97 BRS 1 | sacrificial with (lead with (fabrication or make or making or produce or producing or create)) | USPAT |
| PE BRS 1 | 4356730, pp. | USPAT |
| 997,000 - 1037 | SICTO Wish Jand | TOPAC |
| 100 BAS 24 | micromechanical with lead | USPAT |
| 301 BR8 40 | jolly and (lead with (fabrication or make or making or produce or producing or create)) | USPAT |
| 102 BRS 0 | distefano and sacrificial | US-PGPUB; EPO; JPO; IBM TDB |
| 103 BRS 3 | macrificial with (lead with (fabrication or make or making or produce or producing or create)) | US-PGPUS; EPO: JPO: DERWENT: IBM |
| 104 BRS 9 | micromechanical with (lead) | US-PCPUS; EPO; JPO; DERWENT; IBN |
| 102 086 326 | - septimes With (lead) | US-PGPUST SPON JPON DERMENT: ISH- |
| 106 BRE 0 | (cantilever with (lead)) and sacrificial | US-PGPUB; EPO; JPO; DERWENT; IBM |
| 102 BRS 22 | flemible and (centilever with (lead)) | US-PCPUB: EPO: JPO: DERWENT: 18% |
| 100 BRS 11 | "5602422" | USPAT |
| 109 BRS 21 | (micromechanical and gyroscope) and ((lead or contact) with (fabrication or make or making or pr | USPAT: US-PGPUB: EPO: JPO: DERSEN |
| 118 DRS 1 | re32931.pn. | USPAT |
| 111 BRS 1 | re33479.pn. | USPAT |
| 112 BRS 1 | 3053095. pn. | USPAT |
| 113 BRS 2 | | USPAT |
| 114 BRS 3 | 257/784.ccis. and (micromechanical) | USPAT |
| 175 BRS 1 | 257/776.ccis. and (micromechanical) | USPAT |
| 3368RS 0 | | |
| 117 BRS 0 | 434/338.ccis. and (micromechanical) | USPAT UBPAT |
| 116 BR6 :01 | (34/338.ccls. | :UBPAT :UBPAT |
| 119 BRS 17 | (438/338.ccl=. | USPAT |
| | (893172. pn. | TAGEU |
| 121 DRS 1 122 DRS 1 | 5047740.pn. | USPAT |
| 123 989 1 | :3121099. pn. :4070752. pn. | UBPAT |
| 124 BRS 1 | (654676. pn. | USPAT |
| 325 BRS 1 | :5313157. pn. | USPAT |
| 126 BRS 109 | (flexible and probe), ab. and (semiconductor) | USPAT |
| 4331 | identile and proof at an (emercial and incoming and incom | |
| LE1 50 | manner de sentem de Carac (Sere Miss) | |
| **** | | |
| ype Elte | Search Text DBs fine Stamp Comments Error Defini) | Brrors |

| Sype | its Search Text | Die e |
|---------------|--|--|
| 25 BRS 1 | 5313157, pn. | USPAT |
| 126 BRS 1 | 9 :(flexible and probe).ab. and (semiconductor) | DSPAT |
| 23 BRS 3 | (flexible and probe).ab. and (semiconductor) and (sacrificial) | USPAT |
| AF BRS 8: | (flexible and probe) and (khandros) | USPAT |
| 28 oko +9 | 257/773.CC-5e | - UOPAT |
| 30 DRS 19 | 257/773.ccls. and ((beam adj lead) or ((fan adj (in or out) adj lead))) | USPAT |
| ## ORS 1 | (822753. pn. | USPAT |
| 32 BRS 1 | (800177, pn. | USPAT |
| 33 BRS 1 | 4764404. pn. | USPAT |
| 35 BRS 1 | 1720908, pn. | USPAT |
| 35 BRS 1 | 4666737, pn. :4502563, pn. | USPAT |
| 137 888 1 | :4107726, pn. | USPAT |
| 28 DRS _ 2 | | USPAT |
| BRE 2 | (molybdenum with (bonding adj pad)) | UBPAT |
| 46 BRS 94 | wafer adj probe adj card | USPAT |
| 41 BR8 1 | (tessera.as.) and (wafer adj probe adj card) | USPAT |
| 42 DRS 2 | (wafer adj probe adj card) ti. | UBPAT |
| 43 BRS 13 | | USPAT |
| 44 BRS 11 | | USPAT |
| 45 BRB 8 | : 3747202* | USPAT |
| 46 BRB 8: | (bean ed) lead) same periphery | USPAT |
| 47 PRS 1 | 5149265. pn. | USPAT |
| 48 BRS 20 | | USPAT |
| 49 BR8 6 | (lead with inward with (extend or extended)) and (semiconductor adj device) | USPAT |
| 96 BRS 1 | :5148266. pn. | USPAT |
| 61 DAG -01 | | |
| 53 BRS 14 | | |
| 53 BR6 3 | (((deformable or deformed or deform or bent or bendable or bend) with lead).ab.) and (semicondu | |
| 54 BRB 0 | (((deformable or deformed or deform or bent or bendable or bend) with lead).ab.) and (bent adj | |
| SSERS D | | |
| 37 BR8 53 | (((deformable or deformed or deform or bent or bendable or bend) with lead), ab.) and (bent with (((deformable or deformed or deform or bent or bendable or bend) with lead), ab.) and (bent with lead). | |
| SEBRE D | ((deformable or deformed or deform or bent or bendable or bend) with lead with because) and (di | |
| 59 BR9 0 | [(deformable or deformed or deform or bent or bendable or bend) with lead with because) and (f) | |
| 68 BRS 0 | ((deformable or deformed or deform or bent or bendable or bend) with lead with because) and (te | |
| SIBRS O | ((deformable or deformed or deform or bent or bendable or bend) with lead with because) and (bu | |
| 62 BRS 0 | ((deformable or deformed or deform or bent or bendable or bend) with lead with because) | USPAT |
| 63 BRS 82 | ((deformable or deformed or deform or bent or bendable or bend) with lead with reason) | USPAT |
| 64 BRS 25 | [(deformable or deformed or deform or bent or bendable or bend) with lead with reason) and (see | I USPAT |
| 65 BRS 0 | (probe adj card) and (cantilever adj lead) | USPAT |
| GEBRS 4 | (probe ad) card) and (flexible ad) lead) | USPAT |
| ************* | | energia de la composition della composition dell |
| | Можен Антан Амен Ли Онца (Вир Или) | • |
| ********** | | |
| pe Xits | Search Text DBS fise Stamp Comments Error Defini | Errors |